

# Wispa Hoist & Sling Range







# Wispa Hoist Range

# Moving and handling solutions for home, leisure and caring environments

Healthcare providers have been working towards safer patient handling policies since the inception of the Manual Handling Operations Regulations. The Health and Safety Executive has stated that handling heavy or awkward loads, poor work postures, or repetitive movements can result in muscularskeletal disorders, including back injuries, pain and muscle strain. The risk of sustaining injury can be greatly reduced by selecting appropriate moving and handling equipment and by using it effectively.

There are a number of factors which should be considered when choosing suitable hoisting equipment, such as the environment, type of disability, size and required level of independence of the person to be hoisted, carer physical strength and size are also important factors which should influence selection. This assessment of circumstance combined with the vast array of equipment available can make hoist selection a daunting prospect. Chiltern Invadex have a team of experienced Surveyors who are available to conduct free of charge site visits to provide advice on the most suitable piece of equipment to meet user needs and property constraints.

### **Hoist Range**





Wispa 100+



Wispa 300



#### Safety

The Chiltern Invadex range of moving and handling equipment has been carefully designed and tested to meet the requirements of BS EN ISO 10535 and carries the  $\xi$  mark in accordance with the Medical Devices Directive. Hoist performance is continually monitored through extensive on-going field trials and trend analysis.


Every hoist is subject to rigorous testing prior to leaving our Oxfordshire manufacturing base.

#### Versatility


Flexible design means that the Wispa range of track hoists can be ceiling, wall or gantry mounted.

A range of track accessories including bends, turntables, through door and X-Y systems provide the versatility to suit almost any situation.

X-Y systems offer complete room coverage and have the option for powered or manual traverse.




Combinations of equipment allow hoist installations to be designed to suit various property layouts including allowing access to the most confined areas such as en-suites, where limited space may hinder the use of a mobile hoist.



#### **Survey and Architect Guidance**

Chiltern Invadex employ a nationwide team of experienced technical surveyors who are able to conduct site visits to assist with the specification of equipment and advise on structural requirements. A scale plan of the proposed layout can be provided along with CAD drawings for incorporation within Architects drawings and 3D representations.





A detailed specifiers guide is available to assist architects and scheme designers. To obtain a copy please email technical@chilterninvadex.co.uk.

#### Installation

Our engineers are experienced in the safe and efficient installation of lifting equipment in a variety of environments including;

- Occupied domestic properties
- Hospital wards and nursing homes
- Schools, colleges and universities
- Sports facilities and hydrotherapy pools
- Offices and public buildings
- Changing Places developments
- Construction and refurbishment sites (1st and 2nd fix works can be arranged)
- Mobile homes, stables and boats

The company is CHAS, Constructionline and NICEIC accredited.







# Wispa 100+ Range

The Wispa 100+ range of ceiling mounted hoists provides safe and comfortable lifting combined with simplicity of use.

### **Models and Lifting Capacity**

Wispa 100+ 20 stone (130kg) (286lb) Wispa 100+ Turbo 31 stone (200kg) (440b)

Each provides safe and controlled transfer from the bed, chair, floor, toilet or bath at the touch of a button.



The hand control features light touch pneumatic buttons creating a safe operating system, ideal for bathing, and incorporates colour coded buttons which correspond to coloured arrows on the hoist to give clear indication of the direction of travel.





#### Power options to suit

Mains powered transformer models (W, WL) have no battery to recharge and are ideal for tracks up to 3 metres.

Battery models (WB, WLB) offer increased options for track length and layout with their own independent power supply on board.

### Economical and simple to recharge

Always ready to go, Wispa is easy to charge. Simply return the hoist to the track end to start the charging process.



#### Safe, controlled handling

**Limiting device** - to stop the maximum load being exceeded.

If the operator is distracted a limit switch prevents the patient being raised too high or lowered too far.

**Emergency stop with reset facility** - should an emergency arise, this simple feature provides reassurance for both user and carer.


**Emergency lowering** - in case of battery failure a lowering device is fitted.

Lift motor has a self lock facility - to prevent the user being lowered unintentionally.

# Wispa 100+



#### **Technical Information**



# Wispa 300 Series

One unique range, six different model options. Each intelligently designed to suit both client and carer. Introducing the Wispa 300 range, the safe, powerful solution to moving and handling, with enhanced performance features as standard.

Aesthetically designed, the Wispa 300 provides a neat and unobtrusive system, for controlled transfer from the bed, bath, wheelchair or floor.

### Model and lifting capacity

300 Series 42 stone (272kg) (599lb) Bariatric model with heavy duty gantry 70 stone (445kg) (981lb) shown below



Various options are available to suit the needs of the client, carer and property restrictions.

- Freewheel (powered lift with manual traverse)
- Powered lift and traverse
- XY configuration for full room coverage
- Infrared handcontrol option
- Can be treated for use in swimming and hydrotherapy pools



Simple to recharge via the intrack charging dock, the hoist can provide upto 250 consecutive lifts of 75kg prior to activation of the low battery warning device.

#### Safety

A limit switch prevents the client from being lifted too high or lowered to far should the operator be distracted.

In the unlikely event of a battery failure the emergency stop/lowering function is conveniently located on the underside of the hoist for ease of access and safe, controlled descent.

A separate emergency lowering battery ensures that the emergency lowering facility is always ready for use.



The soft start/stop function provides controlled movement and positioning with no abrupt stop at the end of travel.



# Wispa 300 Series

# **Hoist Features**


Self diagnostic - beeps in set patterns to identify a problem

Soft start/stop for smooth and controlled transfer on all axis



Carry bar with 360° rotation and crossover hook design to prevent accidental sling detachment

#### **Technical Information**



# Wispa Mobile Hoist

Mobile hoists are the perfect solution where ceiling track systems are not possible due to property or budget constraints. Requiring no installation or property adaption they are ideal for both temporary and permanent use.

The Wispa mobile hoist is operated using a reliable electric actuator has a safe working load of 25 stone (158kg).



#### **Easy Steer**

The straight steering device and large ergonomic handle allow easy transportation from one area to another.

#### Secure

Braked castors ensure that the hoist be locked into position as required.

#### **Adjustable Legs**

Legs can be opened to fit around a wheelchair or toilet pan and can be closed to fit through a narrow doorway.

### **Interchangeable Battery Packs**

To ensure that the hoist is always ready to lift, battery packs can be easily changed to provide continuous power whilst other packs charge.

### **Extensive Lifting Range**

Provides an effective solution to transferring or hoisting from the bed, chair, bath, toilet or floor reducing the risk associated with manual handling.

#### Reliable

Able to provide upto 100 lifts from a single charge, the Linak battery pack and actuator provide an efficient and reliable lift.

#### **Emergency Lower**

In case of battery failure the actuator provides both powered and manual lowering devices.


#### Quiet


Quiet action means there is no disurbance to others when the hoist is in use.

#### Smooth

Large wheels provide a comfortable and smooth transfer, reassuring for both user and carer.

#### **Technical Information**






# Wispa Sling Range



# Wispa Sling Range

The New Chiltern Invadex sling range has been developed using the expert knowledge of healthcare professionals and designed using carefully selected fabrics tested to OEKO-TEX® Standard 100.

Each sling features a range of elements carefully selected to ensure comfort and ease of use.




Chiltern slings utilise a colour coded edging strips and handles to provide a clear visual indication of sling size.



- Coloured loops assist in the completion of the care plan (provided in the user guide) and ensure that the sling is correctly positioned on the hoist spreader bar.
- Padded legs have slide sheet material to the rear which reduces friction to assist with fitting.
- 4 Large ergonomic handles are provided to assist with handling.
- Slings which can be fitted from a seated position are provided with a rear pocket to assist with correct positioning of the sling.

# **Fabrics**


Four standard fabric options have been sourced to ensure that the selected sling provides a comfortable and practical lifting solution.



#### Standard polyester

A hardwearing close weave fabric. Providing a comfortable smooth finish.

Safe working load: 400kg



#### Royal Net

Ideal fof bathing, the Royal Net material has thousands of tiny drianage holes.

Safe working load: 300kg



#### **Parachute**

Silky, soft material which is light and provides little friction during application/removal of the sling.

Safe working load: 200kg



#### Spacer

State of the art material which adapts to the shape of the users body. Used for in-situ slings the fabric offers pressure relief, heat dispersion and moisture wicking properties.

Safe working load: 300kg

Various Polyester and Royal Net colour options are available, including Paediatric cartoon fabric. Please call for details.

# **Specials**

With over 30 years experience, Chiltern Invadex understand the importance of bespoke slings specifically designed with an individuals needs in mind. All of our slings are manufactured in the UK which allows special slings to be quickly manufactured.

Our nationwide team of surveyors are able to conduct site visits to assist with the specification of a suitable sling and can provide demonstration models.

Numerous options are available to personalise each model, including:

- Polar fleece lining
- Terry towelling lining (blue, pink or black)
- · Simulated sheepskin lining
- Dimension changes
- Removal/addition of handles, straps & loops
- Addition of chest and waist straps
- · Addition/removal of padded head support
- Clip fixings



# Safety



All of our slings have been fully load and durability tested and carry the CE mark in accordance with the Medical Devices Directive 93/42/EEC.

# **Universal Range**



### SLU - Universal Sling

A basic universal sling offering a good level of support and comfort.

#### **Features**


- · Pelvic support straps
- Padded legs
- Slide sheet material on rear of legs to aid fitting and reduce friction
- Rear pocket to assist positioning of the sling

SLUD - Universal Deluxe Sling


The Universal Deluxe has been designed to provide a comfortable and supportive scoop shape. Features a padded head support and offers a higher degree of support around the head and shoulders.

#### **Features**

- Comfortable shapped and padded head support
- Padded legs
- Slide sheet material on rear of legs to aid fitting and reduce friction
- · Rear pocket to assist positioning of the sling



Size	Α	В	С
P3	550	390	280
P2	590	410	310
P1	690	470	410
XS	770	490	450
S	860	560	530
M	1040	640	610
L	1160	670	640
XL	1290	700	690



Size	А	В	С	D
P3	550	300	350	250
P2	580	330	380	270
P1	660	390	460	290
XS	730	470	490	310
S	860	530	550	310
M	960	600	610	410
L	1060	670	640	410
XL	1110	710	670	410

# **Access/Toileting Range**



### **SLCT - Classic Toileting Sling**


Our classic toileting sling offers a secure transfer with padding for extra comfort. The large aperture provides excellent access to facilitate the removal/adjustment of clothing.

#### **Features**


- Adjustable waist strap
- Fully padded
- Slide sheet material on rear of legs to aid fitting and reduce friction

**SLDT - Deluxe Toileting Sling** 

Offers all of the features of the classic toileting sling with the added benefit of a padded head support and extensor straps.




Size	А	В	С	D
P2	480	220	550	960
P1	530	250	580	1060
XS	700	310	670	1220
S	820	370	820	1320
M	910	390	840	1370
L	1010	390	870	1420
XL	1110	410	890	1520



Size	А	В	С	D	E
P2	480	220	550	300	960
P1	530	250	580	320	1060
XS	700	310	670	350	1220
S	700	370	820	370	1320
M	910	390	840	370	1370
L	1010	390	870	400	1420
XL	1110	410	890	400	1520

# **Access/Toileting Range**



### SLFST - Full Support Toileting Sling


The full support toileting sling offers a greater degree of security for those who may lack the upper body strength to use a classic toileting sling.

The high back and cross over strap design allows for the users arms to remain safely inside the sling during use.

#### **Features**

- High padded back
- Wide padded legs
- Secure velcro fastening
- Slide sheet material on rear of legs to aid fitting and reduce friction

#### **Available Sizes**



Size	А	В	С
P2	590	360	450
P1	650	400	480
XS	710	430	510
S	800	450	610
M	900	500	670
L	1000	530	770
XL	1100	560	840


# **SLSH - Standard Hammock Sling**

A basic hammock/amputee sling designed to provide full support to the neck, back and shoulders.

#### **Features**

- Carefully designed shape
- Unpadded
- Available with toileting aperture

Size	Α	В
XS	810	1040
S	860	1090
M	960	1140
L	1060	1220
XL	1160	1290



# **Hammock Range**



### **SLCH - Classic Hammock Sling**

The classic hammock is designed to provide a comfortable lift and reduce hip movement.

#### **Features**

- Toileting aperture
- Padded legs
- Slide sheet material on rear of legs to aid fitting and reduce friction
- Available with head support


# **SLDH - Deluxe Hammock Sling**

Designed to offer a secure, comfortable fit around the hips. The deluxe hammock is provided with a toileting aperture and padded legs.


#### **Features**

- Toileting aperture
- Padded legs
- Slide sheet material on rear of legs to aid fitting and reduce friction
- · Rear pocket to assist positioning of the sling
- Available with head support





Size	Α	В	С	D
Р	690	480	300	480
XS	770	520	330	530
S	860	580	330	580
М	960	680	370	680
L	1060	730	400	750
XL	1160	730	470	750



Size	Α	В	С
Р	690	480	480
XS	770	520	530
S	860	580	580
M	960	680	680
L	1160	730	750
XL	1290	730	750

# **Hammock Range**



## **SLEH - Extensor Hammock Sling**

Similar to the deluxe hammock, the extensor hammock has the added benefit of a padded head support and extensor straps.

#### **Features**

- Comfortable shapped and padded head support
- Padded legs
- Slide sheet material on rear of legs to aid fitting and reduce friction
- Rear pocket to assist positioning of the sling


# **SLICH - In Chair Hammock Sling**

The in chair hammock sling is manufactured from spacer material. Following testing using the X-Sensor pressure mapping system, the sling has shown not to contribute to additional pressure peaks and improve the pressure reading through the mapping sessions.

The fabric moulds to the shape of the user, allows for air circulation reducing the build up of heat and has moisture wicking properties.


### **Features**

- Pressure relieving fabric
- Shapped to sit snuggly into a chair
- · Strap pockets to tuck away lifting straps when not in use
- Pommel for added security
- Also available with split legs



Size	А	В	С	D
Р	690	480	480	150
XS	770	520	530	160
S	860	580	580	170
M	960	680	680	180
L	1160	730	750	190
XL	1290	730	750	200





Size	Α	В
P3	590	750
P2	640	820
P1	690	850
XS	770	890
S	860	960
M	960	1060
L	1160	1150
XL	2190	1180

# Stand-Aids



### SLSA - Stand-Aid Sling

Our stand aid sling has been designed to assist those with a degree of of upper body strength to stand using a stand-aid hoist.

#### **Features**

- Secure adjustable waist strap
- Fully padded
- Non-slip mesh lining

# SLDSA - Deluxe Stand-Aid Sling

The deluxe stand aid sling has features self tightening straps in place of a body belt. It allows the user to keep their arms inside the sling when standing.


#### **Features**

- Self tightening body straps
- Fully padded
- · Non-slip mesh lining



#### **Available Sizes**

Size	Α	В	С
XS	760	300	1140
S	860	330	1220
M	920	360	1320
L	980	400	1420
XL	1040	430	1520



This brochure features a sample of the sling models available. We also offer a range of slide sheets, handling belts and disposable/patient specific models.

Should further information be required or you would like to arrange a free of charge, no obligation survey visit, please contact our customer services team on 01869 365500 opt 1 or email us at sales@chilterninvadex.co.uk.



### Chiltern Invadex (UK) Ltd

Unit 6C Thorpe Drive Banbury Oxfordshire **OX16 4UZ** Tel: 01869 365500

E-mail: sales@chilterninvadex.co.uk Web: www.chilterninvadex.co.uk

Overseas enquiries Tel: 0044 1869 365500

# Other Product Ranges from Chiltern Invadex

#### **Shower Commode Chairs**







AquaMaster Closomat Range

# Tilt in Space Bathing Range



Aqumaster Tilt in Space Chair



Washington Tilting Shower Cradle

### Shower Tolleys, Cradles and Stretchers



TRT1



Washington Cradle



T12 fold up stretcher



available in various colour options

### Shower Enclosures, Wet Floors and Cubicles - full installation service available



Shower WC cubicle

EasiDec wet floor

Sandwell level access tray

Impressions collection





